

The Coordinator's Activity Report

Season: W11

Period : 30th October 2011 - 24th March 2012

Performed by:

Slot Coordination Czech Republic

Table of contents:

1. Introduction

General information and general comments regarding the coordination process

2. Coordination Parameters

A) Reference season

- a) Runway
- b) Terminal
- c) Others

B) Forthcoming season

- a) Runway
- b) Terminal
- c) Others

3. Additional parameters

- a) Curfew
- b) Allotment for PSO
- c) Allotment for GA/BA
- d) Local rules

4. Coordination Process

A) Initial allocation (IA)

- a) Requested slots
 - Historic
 - New entrant
 - Re-timed
 - New incumbent
- b) Allocated slots
 - Historic
 - New entrant
 - Re-timed
 - New incumbent
 - i) As requested
 - ii) Offers
 - iii) Reason for not satisfying
- c) Outstanding requests
- d) Slot pool
 - Before initial allocation
 - After initial allocation

B) Slot Return Deadline (SRD)

- a) Allocated slots
- b) Slot pool

C) End of Season (EoS)

- a) Allocated slots incl. GA/BA

D) Graphics / Histograms

- Initial Allocation
- SRD
- Compare
- Main carriers
 - Capacity
 - Demand
 - Allocated

5. Slot mobility

- a) transfers/exchanges

6. Monitoring Report

- a) Slot misuse
- b) Late handback
- c) Sanctions
- d) Exemptions 14.1

7. Coordination Committee

- a) minutes
- b) constitution

8. Conclusions

1. Introduction

This report contains the general total data for W11 season. Time UTC.

This report refers to Prague Ruzyne Intl. Airport.

It is Level 3 airport, IATA/ICAO: PRG/LKPR

The coordination software used: **Score, ver. 5.10.10.4.**

Since November 2011 the online coordination has been performed.

The coordination process is conducted in full compliance with EU Reg. 95/93, 793/2004, IATA Worldwide Scheduling Guidelines, IATA Standard Schedules Information Manual and Czech Law, which says that Slot Coordination Czech Republic is delegated to achieve of Coordination function according to decision of the Civil Aviation Authority Czech Republic in accordance with the paragraph No.32, part 1 and 2 of Law No. 49/1997, about Civil Aviation and in accordance with Law No. 455/1991.

2. Coordination parameters

A) Reference season – W11

a) Runway

The runway system is formed by a pair of runways crossing each other approximately in the shape of a letter T. There are side runways for fast detouring in both directions of RWY 06/24.

Main RWY 06/24 measuring 3715m in length is in the direction 24 equipped for a precision approach of Category III B and in the direction 06 for the precision approach of Category I.

Secondary RWY 13/31 measuring 3250m in length is in both directions equipped for the precision approach of Category I. Operations on RWY 13/31 are significantly limited by noise restrictions (see IX. 5 below).

The overall maximum hourly capacity equals to 46 aircraft movements per hour, respectively 33 arrivals and 33 departures. Upon a five-minute coordination period, the maximum number of aircraft equals to 3 arrivals and 3 departures.

Movements on RWY from 05:00 to 20:55 UTC

5 minute-period	Arrivals	3 arrivals
	Departures	3 departures
60 minute-period	Arrivals	33 arrivals
	Departures	33 departures
	Total	46 movements

Night noise restrictions from 21:00 to 04:55 UTC

(Number of take-offs and landings in line with the Bonus List upon compliance with the stipulated noise limit of 48 movements during the night period)

Table of counts of allowed movements in individual time periods

time/period		5min			30min	60min		
From	until	arr	dep	Total	total	arr	dep	total
0005	0055				1			2
0100	0155				1			2
0200	0255				1			2
0300	0355				1			2
0400	0455				4			8
0500	2055	3	3			33	33	46
2100	2155				8			16
2200	2255				6			12
2300	2355				2			4

b) Terminal

Terminal operations are fully coordinated for the entire duration of the season in line with the limitations applied to flights to/from the Schengen treaties signatory states:

Terminal T2 – flights to/from countries within the Schengen area

Terminal T1 – flights to/from countries outside of the Schengen area

Parking stands - 50 aircraft stands divided as follows:

5 stands for aircraft with wing span of 52m and bigger

7 stands for aircraft with wing span from 36 to, but not exceeding, 52m

25 stands for aircraft with wing span from 29 to, but not exceeding, 36m

13 stands for aircraft with wing span to, but not exceeding, 29 m

GATES

T1: 20 GATES
T2: 32 GATES
T3: 1 GATE

Departing PAX

T1: 1700 passengers (limiting factor - passport control stands)
T2: 2300 passengers (limiting factors – security control and check-in counters)
T3: 60 passengers (limiting factor - gates)

Arriving PAX

T1: 1700 passengers (limiting factor - passport control stands)
T2: 3500 passengers (limiting factor – baggage claim)
T3: 120 passengers (limiting factor – baggage claim)

Table of apron and terminal capacities

Constraints/period			60 min.
Parking stands			50
Terminal T1 Non-schengen	gate		25
	PAX flow	arr	1700
		dep	1700
		total	3400
Terminal T2 Schengen	gate		29
	PAX flow	arr	3500
		dep	2300
		total	5800
Terminal T3	gate		1
	PAX flow	arr	120
		dep	60
		total	180

c) Others

Aircraft stands

The overall capacity is 59 stands divided as follows:

- 7 stands for aircraft with wing span of 52m and bigger
- 9 stands for aircraft with wing span ranging from 36m to, but not exceeding 52m
- 28 stands for aircraft with wing span ranging from 29m to, but not exceeding 36m
- 15 stands for aircraft with wing span up to, but not exceeding 29m

B) Forthcoming season

a) Runway

- no change compared to W11

b) Terminal

- creation of 1 parking stand for aircrafts with wing span up to 80m.
- No other changes.

c) Others

Aircraft stands

The overall capacity is 56 stands divided as follows:

- 1 stand for aircraft with wing span ranging from 65m to, but not exceeding 80m
- 5 stands for aircraft with wing span ranging from 52m to, but not exceeding 65m
- 8 stands for aircraft with wing span ranging from 36m to, but not exceeding 52m
- 27 stands for aircraft with wing span ranging from 29m to, but not exceeding 36m
- 15 stands for aircraft with wing span up to, but not exceeding 29m

3. Additional Parameters

a) Curfews

Night noise restrictions (*according to AIP of the Czech Republic*)

LKPR AD 2.21 NOISE ABATEMENT PROCEDURES

2.21.1.1 *Aircraft certified in accordance with ICAO Annex 16/I, Part II, Chapter 2 or aircraft without certification in accordance with ICAO Annex 16/I, Part II*

2.21.1.1.1 *Take-offs and landings are not permitted.*

2.21.1.2 *Jet aircraft certified in accordance with ICAO Annex 16/I, Part II, Chapter 3 and propeller-driven aircraft certified in accordance with ICAO Annex 16/I, Part II, Chapter 5*

2.21.1.2.1 *Take-offs and landings of aircraft with MTOW more than 45 t, except aircraft included in Bonus list, are not permitted from 2100 (2000) to 0500 (0400).*

2.21.1.2.1.1 *Aircrafts included in Bonus list, take-offs and landings from 2100 (2000) to 0500 (0400) are permitted only within the scope of noise quota for night operations. Moreover the aircraft shall meet criteria for inclusion to noise category 1 or 2 according to GEN 4.1.1.4. If the aircraft does not meet criteria for noise category 1 or 2 noise charge rate will be determined according to GEN 4.1.1.4.4.*

2.21.1.2.2 *Take-offs and landings of aircraft with MTOW less or equal to 45 t are permitted only from 2100 (2000) to 0500 (0400) within the scope of noise quota for night operations providing that they meet criteria for inclusion to noise category 1 or 2 in accordance with GEN 4.1.1.4. If the aircraft does not meet criteria for noise category 1 or 2 noise charge rate will be determined according to GEN 4.1.1.4.4*

2.21.1.2.3 *Only the aerodrome operator can decide inclusion of new type of aircraft to bonus list based on aircraft operator request. The aircraft operator shall append the documents according to GEN 4.1.1.4 to the request. The request shall be send to address according to GEN 4.1.1.4.5.*

BONUS LIST (aircraft according to IATA code)

141, 142, 143, 146, 14F, 14X, 14Y, 14Z, 318, 319, 320, 321, 332, 333, 342, 343, 345, 346, 733, 734, 735, 736, 738, 739, 73C, 73E, 73G, 73H, 73J, 73W, 752, 753, 75M, 75W, 763, 764, 772, 773, 77L, 77W, 783, 788, 789, AB6, AR1, AR7, AR8, ARJ, E90, E95

b) Allotment for PSO

– Not applicable

c) Allotment for GA/BA

– Not applicable

d) Local Rules

All flights operating at Praha/Ruzyne Airport, and whatever their changes (except emergency landing, flights connected with human life saving, search and rescue flights) the slots for arrival and departure shall be requested before realization of flight from the airport coordinator.

It is not applied to VFR flights of helicopters with MTOW up to 3000 kg including.

The slot request submission

The requests for slots shall be submitted at least 24 hours before intended arrival/departure time to/from Praha/Ruzyne airport. In case of technical landing, technical flight, test or training flight, military or state aircraft it is possible to submit the request at least 1 hour before intended time of arrival/departure to/from Praha/Ruzyne airport. In case of medical flight, "General Aviation" or "Business Aviation" flight it is possible to submit the request at least 30 minutes before intended time of arrival/departure to/from Praha/Ruzyne airport. Time of receipt of the request message by the airport co-ordinator is determinant in these cases.

Submission of request for change of slots


For flights for purpose of passenger transport (scheduled, complementary and planned charter flights), scheduled cargo flights and scheduled post service flights (not ad hoc flights) it is not required to request change of slot if the delay time does not exceed 120 minutes together with not exceeding 24:00 LT of the operational day.

4. Coordination process

A) Initial allocation (IA)


a) Requested slots

REQUESTED SLOTS	
TOTAL SLOTS	62878
HISTORICS	24927
NEW ENTRANT	1176
RETIMED	23684
NEW	13091



b) Allocated slots

ALLOCATED SLOTS		
TOTAL SLOTS		62878
HISTORICS	AS REQ	23730
	OFFER	1197
NEW ENTRANT	AS REQ	852
	OFFER	324
RETIMED	AS REQ	19150
	OFFER	4534
NEW	AS REQ	9088
	OFFER	4003



The reason for not satisfying the request:

In all cases there is RWY movement's limitation that results in not satisfying the slot requests.

c) Outstanding requests


No outstanding requests for W11.

d) Slot pool


The slot capacity for W11 was calculated for total of **115248**.

Only RWY movement constraint was considered for the slot capacity calculation, although there are two other limiting factors we take into account otherwise (parking stand constraint and passenger terminal constraint).

SLOT CAPACITY W11	115248
HISTORIC SLOTS ALLOCATED	24927
SLOTPOOL	90321




SLOT CAPACITY W11	115248
INITIAL ALLOCATION	62878
SLOTS AVAILABLE	52370



B) Slot Return Deadline (SRD)


a) Allocated slots

ALLOCATED SLOTS		
TOTAL SLOTS		52014
HISTORICS	AS REQ	15605
	OFFER	2918
NEW ENTRANT	AS REQ	190
	OFFER	62
RETIMED	AS REQ	20362
	OFFER	1832
NEW	AS REQ	7754
	OFFER	3291




b) Slot pool

SLOT CAPACITY W11	115248
HISTORIC SLOTS ALLOCATED	18523
SLOTPOOL	96725




SLOT CAPACITY W11	115248
SRD SLOT ALLOCATION	52014
SLOTS AVAILABLE	63234



C) End of Season (EoS)


SLOT CAPACITY W11	115248
ALLOCATED SLOTS incl.GA/BA	48370
AVAILABLE SLOTS	66878




D) Graphics/ Histograms

Comparison of the Initial Allocation (IA) and Slot Return Deadline (SRD)

SRD	
SLOT CAPACITY W11	115248
REQUESTED SLOTS	52014
ALLOCATED SLOT	52014




INITIAL ALLOCATION	
SLOT CAPACITY W11	115248
REQUESTED SLOTS	62878
ALLOCATED SLOTS	62878



Development of the main carriers
(Top 10 carriers as per the slot utilization)

MAIN CARRIERS	IA	SRD	EoS
OK	26956	21962	17747
LH	3990	3544	3401
EZY	2770	2156	2150
AF	2222	1996	1392
W6	1988	1717	1338
LX	1386	1370	1344
BA	1468	1162	1306
OS	1344	1324	1300
SU	1174	1176	1168
3B	985	920	899



5. Slot mobility

No transfers or exchanges under Art. 10.8. were performed within W11 season.

6. Monitoring report

- a) Slot misuse - no records for W11 season.
- b) Late handback - no records for W11 season.
- c) Sanctions - no records for W11 season.
- d) Exemptions 14.1 - no records for W11 season.

Minor violation of the slot policy resulted only in warning given to the air carrier.

7. Coordination committee

The Coordination Committee has been established to advise and assist to the coordinator to carry out the following tasks in accordance with the requirements of the Law No. 49/1997 issued by the Ministry of Transport of the Czech Republic.

Its existence covers:

- to examination of the possibilities to increase the currently determined capacity of the airport,
- determination of the ways of achieving a better utilisation of the capacity available,
- monitoring of the use of the slots allocated.

The members of the Coordination Committee of the Prague Airport:

- Airline Operators Committee (AOC)
- Job Air
- Air Traffic Control
- Prague Airport
- Prague Airport Handling
- Menzies Aviation Group
- Czech Airlines
- Czech Airlines Handling
- Holidays Czech Airlines
- Travel Service
- ABS Jets
- Silver Air

Main topic for the meeting of the Coordination Committee was the airport capacity presentation for S12 season. Offered capacities were approved by all the members.

8. Conclusions

This report provides the requested information and statistics for Prague Ruzyně Intl. Airport (PRG/LKPR) for season W11. It has been created by Slot Coordination Czech Republic for the next possible usage by DG Move.

Should you require more Information, do not hesitate to contact us at:

Slot Coordination Czech Republic

Airport Praha Ruzyně
P.O.Box 67
Aviatická 12
160 08 Prague 6

e-mail: slot.coord@prg.aero

WEB www.slot-czech.cz